

Nr. KE-704	<p style="text-align: center;">KONFORMITÄTSERKLÄRUNG DECLARATION OF CONFORMITY Nach Artikel 19 MDR According to Article 19 MDR</p>	
------------	---	---

Rudolf Riester GmbH

Bruckstraße 31, D-72417 Jungingen, Germany

Tel.: (+49) (0)7477-9270-0

Fax: (+49) (0)7477-9270-70

E-Mail: info@riester.de

www.riester.de

Wir erklären in alleiniger Verantwortung, dass das Medizinprodukt
We declare under our sole responsibility that the medical device

Accessories for laryngoscopes

Artikel-Nr. von: / Article No. from:

Artikel-Nr. bis: / Article No. to:

allen Anforderungen der Verordnung (EU) 2017/745 entspricht. Das Verfahren gemäß den Vorgaben in Anhang II und Anhang III derselben Verordnung wurde eingehalten.

meets all the provisions of the regulation (EU) 2017/745. The procedure according to Annex II and Annex III of the above mentioned regulation has been followed.

Zweckbestimmung: Die Laryngoskope werden zur endotrachealen Intubation hergestellt.
Die Riester Batteriegriffe dienen zur Versorgung der Lampen mit Energie und zur Spatelhalterung.

Intended purpose: The laryngoscopes are made for endotracheal intubation.
The Riester battery handle are used to power the lamps and to hold the spatula.

Verordnungs-Klassifizierung nach Anhang VIII:
Regulation classification according to annex VIII:

**Klasse I
Class I**

Basic-UDI-DI:

40453967040N6

Gemeinsame Spezifikationen:
Common specifications:

Keine gemeinsamen Spezifikationen
No common specifications

SRN- Nr.:

DE-MF-000006419

Diese Erklärung ist gültig für ab dem Ausstellungsdatum in Verkehr gebrachter Produkte.
This declaration is effective for products placed on the market as of the date of issue.


Rudolf Riester GmbH erklärt hiermit, dass die Produkte entsprechend der RoHS-Richtlinie 2011/65/EU konform sind.

Rudolf Riester GmbH herewith certifies that the products are in compliance with the RoHS Directive 2011/65/EU.

Die festgestellte Konformität bezieht sich auch auf einzelne Komponenten und Bestandteile des Medizinprodukts, soweit diese vom Hersteller als Ersatzteile gesondert in den Verkehr gebracht werden.

The established conformity also relates to individual components and parts of the medical device as far as these are marketed separately by the manufacturer as spare parts or replacement parts.

Jungingen, 08.11.2022



Irina Zhdanova
Geschäftsführerin
Managing Director



Artur Pfister

Für die Einhaltung der Regulierungsvorschriften verantwortliche Person
Person responsible for regulatory compliance (PRRC)

We declare under our sole responsibility that the Accessories for
laryngoscopes

meets all the provisions of the regulation (EU) 2017/745 on medical devices..

Regulation classification according Annex VIII: **Accessories Class I**

12320	Bulb LED 2,5 V
12321	Bulb LED 3,5 V
11428	Pack of 6 pcs. bulbs XL 2.5 V
11429	Pack of 6 pcs. bulbs XL 3.5 V
11380	Pack of 6 pcs. bulbs 2.7 V, small, without spring, for ri-standard blades Miller no. 00-1
11381	Pack of 6 pcs. bulbs 2.7 V, large, without spring, for ri-standard blades Miller no.2-4,Macintosh 0-5
12314	C-handle LED 3.5 V diam. 28 mm rechargeable for blades with integrated or detachable F.O.
12316	AA-handle LED 3.5 V diam. 19 mm rechargeable for blades with integrated or detachable F.O.
12318	AA-handle XL 3.5 V diam. 19 mm rechargeable for blades with integrated or detachable F.O.
12300	C-handle XL 2.5 V diam. 28 mm rechargeable for blades with integrated or detachable F.O.
12301	C-handle XL 3.5 V diam. 28 mm rechargeable for blades with integrated or detachable F.O.
12302	AA-handle XL 2.5 V diam. 19 mm rechargeable for blades with integrated or detachable F.O.
12311	C-handle LED 2.5 V diam. 28 mm not rechargeable for blades with integrated or detachable F.O.
12312	AA-handle LED 2.5 V diam. 19 mm not rechargeable for blades with integrated or detachable F.O.
12317	AA-handle diam. 32 mm short not rechargeable, LED 2.5 V for blades with F. O.
12305	C-handle XL 2.5 V diam. 28 mm not rechargeable for blades with integrated or detachable F.O.
12306	AA-handle XL 2.5 V diam. 19 mm not rechargeable for blades with integrated or detachable F.O.
12309	AA-handle diam. 32 mm short not rechargeable, XL 2.5 V for blades with F. O.
12303	C-handle diam. 28 mm for blades ri-standard rechargeable
12304	AA-handle diam. 19 mm for blades ri-standard rechargeable
12307	C-handle diam. 28 mm for blades ri-standard not rechargeable
12308	AA-handle diam. 19 mm for blades ri-standard not rechargeable
12310	AA-handle diam. 32 mm short not rechargeable for blades without F.O.
12265	Light conductor Mac 0
12266	Light conductor Mac 1
12267	Light conductor Mac 2
12268	Light conductor Mac 3
12269	Light conductor Mac 4
12273	Light conductor Mac 5
12280	Light conductor Mil 00
12281	Light conductor Mil 0
12282	Light conductor Mil 1
12283	Light conductor Mil 2
12284	Light conductor Mil 3
12285	Light conductor Mil 4

10694	Li-Ion rech. Battery 3.5V ri-accu® L for plug-in c for battery handle type C
10680	ri-accu® 2.5 V NiMH for AA type battery handles
10681	ri-accu® 2.5 V NiMH for C type battery handles
10682	ri-accu® 3.5 V NiMH for C type battery handles
10690	Lithium rechargeable battery 3,5V ri-accu®L for AA-type battery handle and ri-charger® L
10691	Lithium rechargeable battery 3,5V ri-accu®L for C-type battery handle and ri-charger® L
10685	4 pcs. AA type alkaline batteries, Mignon Type E 91 Alkaline 1.5 V
10686	2pc. C type batteries, "PROCELL", Duracell Alkaline 1.5 V, MV 1400 LR14
10707	Plug-in charger for Li-Ion rech. battery 3.5V ri-a for battery handle type C, with EU-plug
10708	Plug-in charger with Li-Ion rech. battery 3.5V ri- for battery handle type C, with EU-plug
10700	ri-charger® 2.5 V / 3.5 V / 100-240V, with wall support
10701	ri-charger® 2.5 V / 3.5 V / 100-240V, with wall support
10705	ri-charger® L 3,5 V,100-240 V, with wall support
10706	ri-charger® L 3.5 V / 100V-240V with wall support
10710	Wall support ri-charger®, with screws and dowels
10711	AA type handle insert ri-charger®
10712	Ear specula compartment cover ri-charger®
11386	ri-modul Miller baby case
11393	Hard protective carrying case for up to 12 blades 1 handle